






ADD: 上海市嘉定区西冈身路 500 号 上海市青浦区新丹路 368 号 No. 500, Xigang Shen Road, Jiading Industry District, Shanghai, China No.368, Xindan Road, Qingpu Industry District, Shanghai, China TEL: +86- 15800377066 WHATSAPP: +86-13916868669 E-MAIL: info@zhongji.com WEBSITE: www.zhongji.com





SHANGHAI ZHONGJI MACHINERY

Шанхай Чжунцзи Машиностроительная компания

上海中吉机械

WORLD STANDARD COMPETITIVE COMPANY ZHONGJI MACHINERY !!!

Zhongji Machinery Was Founded In 1992.

Polyurethane Sandwich Panel Production Line Made By Italian Hi-tech.

Factory Area Is 70,000 m² with More Than 600 Staffs And Ten Overseas Branch Offices.


CEO Of Zhongji, Mr Gunther Hou, Is The Vice President Of Chinese Private Enterprises Association.

聚氨酯彩钢夹芯板生产线

30年以上生产设备经验进口品质国货价格







Uncoiler 开卷机

Разматыватель

Uncoiler for lower and upper facing. Uncoiler units including coil loader, pressing rollers, band edge control system, band delivery drivers, shearing, band connecting stations, looping station, delivery roller table.

Advantage: Time-saving(and therefore also cost-saving) continuous coil and band exchange standstill of the facility.



2 Roll Forming 单瓦成型机

Профилегибочное оборудование

Roll Forming machines to shape surfaces and edges of the wall, roof and sectional door elements.

Advantage: Good accessibility and minimum profile exchange times by the serial installation of the profiling machines. Driving the profiling tool sets by means of DC motor including electronic control guarantees the synchronous inlet of the two metal widths into Double Conveyor facility



Pre Heating 预热装置 Подогревание

Potal & PU Foaming & Tank Station Заливание полиуретана 布料和聚氨醋发泡机储料罐

PU Foaming Machine Axial piston, series piston, single piston and diaphragm pumps to process the different components. Design of the entire "Wet part" complying with the







Pentane Metering Machine

Циклопентановая система 环戊烷计量装置



6 PU Pouring 聚氨酯浇注系统

Заливание полиуретана



Double Slat Conveyor 双履带

Гусеничный пресс



8 Side Block 侧挡块


Боковые формы





9 Heating System

Система нагревания 加热系统



10 Cross Cutter

Ленточная резка 切割机

Cross Cutter to cut the continuous element hank to preprogramed lengths. Belt saw for longitudinal saw and cut edge cleaning machine as well as sound insulation cabin, exhaustion device and filtering installation.





Cooling Conveyor and Stacker

Packing Упаковка 打包机


Охлаждение и штаблер 冷却装置和码垛

Crosshead design for separate stacking of 1A and 2A rated products.





Mineral Wool (GlassWool) Color Steel Sandwich Panel



Mineral wool Board Supply, Cutting & Turning System

Автоматическая система для минваты резка &переворачивание 岩棉板提供切割和翻转系统 Consists of Transfer conveyor, Lift, Board Cutter and Turning Conveyor in accordance with the

thickness of sandwich panel, and supplies it to the equipment continuously.

1 Transport Conveyor Конвейер 输送轨道



3 Cutting & Cutting Saw

Подъёма上下提升装置











Board side trimming & supplying Подача нарезание переворачивание 岩棉板侧铣边

Mineral Wool Panel 岩棉板

Consists of Transfer conveyor, Lift, Board Cutter and Turning Conveyor in accordance with the thickness of sandwich panel, and supplies it to the equipment continuously

5 **90° Rotation** 90°翻转

Переворачивание

4 After Cutting 切割后 После нарезания











Панель из минваты BOLTLESS PANEL 隐藏型 SS PANEL SS面板 ROOF PANEL 屋面板

Glue applying system

Система клея 胶水系统

It is a device applying glue, having a couple of types such as Mixing type and Spray type. Mixing type is widely used throughout the world, as it is relatively inexpensive and durable. Spray type can save the discharge and application quantity of glue, while the price is somewhat higher.

Arrangement Conveyor 排列输送带 Конвейер аранжировки









Insert to Double conveyor Заливание полиуретана 输送进入双履带

It is a device that makes the shape of sandwich panel applying constant pressure and heat to the upper and lower steel plates where glue is

9 Insert to Double Conveyor 输送进双履带 Заливание полиуретана






10 Pad Cutting 梯形条切割 Резка панели





EPS/Mineral Wool Color Steel Sandwich Panel

Production Line (SP-10)




EPS/Mineral Wool Color Steel Sandwich Panel


Production Line (SP-5/7/9)

Линия для производства сэндвич панели СП-5/ СП-7/ СП-9 EPS/岩棉彩钢夹芯板生产线














SP9 SS PANEL SS墙板











1 Uncoiler Разматватель 开卷机

Uncoiler is drive type, and is installed two each at the upper part and the lower part separately. It is very difficult for the flexible facing such as paper, minerals hear non woven, aluminum foil differently on steel plate to entry into a double belt conveyor when it is untied from uncoiler. So, auto centering device(E.P.C.) and tension control device should be installed to the uncoiler. Facing materials: Soda kraft paper, Aluminium foil, mineral shear non oven, etc.





Pre Heating Подогревание 预热装置



PU Foaming Machine PU发泡机 Система заливания полиуретана

It is designed for mixing and metering the raw material Polyol, Iso, Pentane, Additive and Catalysts.






4 PU Injection Вливание полиуретана РU注入

PU material is outputted from outlet pipe of the mixing head onto the lower facing layer while moving crosswise along the Foaming Portal (Coating Canto)





Double Conveyor & Heating

Гусеничный пресс /нагревание 双履带和加热

The double belt is designed to contain the uprising pressure during the foam reactive process by the action of a screw jack ensure the required flexible facing panel thickness.

The double belt conveyor conveys a continuous panel from PU foaming portal to the cutter while containing upper, lower and lateral uprising pressure while keeping up the uniform thickness and facing of the finished panel.





6 **Cutting** Резка 切割机





Clean Room Sandwich Panel

Automatic Production Line

Автоматическая линия по производству сэндвич-панелей для чистых помещений

净化彩钢夹芯板全自动生产线

MANUFACTURING PROCESS 生产过程





































1 Hydraulic Uncoiler

Разматыватель 液压开卷机

The two sets of uncoilers on this production line are used for feeding and recycling steel coils.

Advantages: including loading trolley, V-shaped loading interface, hydraulic station, and uncoiler host.



2 Levelling Device Нивелирования 整平装置

This machine includes adjustable feeding device, film covering device,

guiding and leveling device, and hydraulic flat shear device.



Box Panel Forming Machine

Формовки плит 盒子板成型机

This machine includes adjustable hydraulic punching device, roll forming machine, hydraulic forming shear and bending mechanism, PLC console.







4 Glue Spraying System

Нанесение клея

淋胶系统

The glue spraying machine is used to accurately measure and evenly spray single component or dual component glue onto the surface of the workpiece.

Advantage: Adopting imported rubber pumps and Siemens servo motors to achieve precise measurement.







5 Conveying and Turning

翻板复合系统

Конвейерная и токарная

The lateral turnover device consists of a horizontal ground rail conveyor, a track, a parking protection device, and a suction cup turnover machine.

Advantages: Saving manpower, doubling production efficiency, and reducing labor costs.





The lateral turnover device consists of a steel plate positioning device, a gantry type lateral conveying device, a parking protection device, a suction cup turnover machine, and a lifting device.

Advantages: High positioning accuracy and smooth operation.

6 High Pressure Machine



Packing Machine
Упаковка

打包系统



7 Stacking Machine

Стекер 码垛系统




9 Keel Roll Forming Machine Формовки килевых валов 龙骨辊压成型机



Box Board Type and Sample (reference)

Образц панели для чистых помещений (для справки)

盒子板板型与样品(参考)



Clean Room Sandwich Panel Automatic Production Line

Автоматическая линия по производству панели для чистых помещений-пример завода заказчика

净化彩钢夹芯板全自动生产线--客户工厂案例

苏州永盛(江西分厂实景)

The production line is mainly composed of uncoiling system, cold bending forming system, upper and lower plate gluing system, lateral moving conveying and turning plate system, plate conveying system, hot pressing system, palletizing system, packing system, etc.

Project condition:

Annual output:800000~1000000m² (based on panal length 12m) Whole line length: about 120m (include uncoiler and box panel machine) Laminating machine effective length: 12m(Belt Laminator) Labors:8-10



Types of Manually Purified Sandwich Panels

Тип панели для чистых помещений

手工净化夹芯板种类

Rock wool clean room sandwich panel

岩棉净化板

Glass magnesium clean room sandwich panel

玻镁净化板


Honeycomb clean room sandwich panel Keel Rolled Profiles

蜂窝净化板




龙骨辊压型材



















4 Customer Factory Case Дело фабрики клиента 客户工厂案例

This production line adopts advanced hot pressing technology, adhesive foaming technology, composite transmission technology, CNC servo control technology, variable frequency vector control technology, and hydraulic control technology both domestically and internationally. The characteristics of this production line are: high degree of automation, fast production efficiency, simple operation, low production costs, and





Discontinuous Panel Production Line









CLASSIFICATION OF REFRIGERATED CARRIAGE PLATE PRODUCTION LINE

冷藏车车厢板生产线

Carriage Board
Laminating Machine
冷藏车车厢板层压机

1+1 Continuous Laminating Machine 1+1连续式层压机

3 2+2 Tilting Laminating Machine 2+2可倾斜式层压机

Working Platens

One fixed top plate and 4 movable platens for simultaneous and alternating loading/unloading.

Frame & Structure

Welded beam structure composed by steel beams.

Every support point (for the beams, for the pistons, for the plates), are worked by CNC tool-machine to grant the parallelism during the assembling of the structure.

Double rack and pinion system on the length and on the width to grant the perfect movement of the plates.

Heating Plate

Assembled solid steel plates predisposed for heating plant which uses water as heating liquid.

1-2 Upper and Lower Platen 上下载模板

Верхняя и нижняя пресс-платина







3 Pressing Machine

Прессование

层压机










4 PU Foaming Machine Заливание полиуретана РU发泡机

Each metering unit is separately fitted for the Polyol and Isocyanate, and consists of an axial piston pump, coupling, flanged A.C motor, pump support and safety valve.


The pump output can be adjusted infinitely

The pump output can be adjusted infinitely by hand-wheel and scales fitted to the pump housing.



5 2+2 Press Layout

Схема расположения прессования 2+2层压机布置图



1 Carriage Board Laminating Machine

Машина для ламинирования вагонных плит

车厢板层压机

Main features:

The production equipment for non-continuous polyurethane sandwich panels/refrigerated carriage panels has a size of 3.5 meters x 12 meters, adopts a bilateral entry and exit form, and the host can tilt; At present, it is the most advanced large-scale special equipment for hot adhesive pressing plate of composite panel of Box truck in China, which can produce cold storage panel and large compartment panel. The equipment is composed of a host frame, a left and right mobile conveying platform, a loading template, a hydraulic driven lifting platform, a hot pressing plate heating system, a PLC control system, etc.





2 1+1 Continuous Laminating Machine

1+1 машина непрерывного ламинирования

1+1连续式层压机

Main features:

1. The hot press can produce compound purifying plate and polyurethane foam purifying plate on the spot, which is suitable for the processing of sandwich carriage plate/purifying plate in military cabin and the hot pressing molding of many kinds of composite materials, such as aluminum plate, fiberglass plate, PUR foam material sandwich plate pressure.

2. The laminating machine is composed of main machine, heating system, hydraulic system and PLC control system. The utility model has the advantages of compact structure, high working efficiency, etc.



2+2 Tilting Laminating Machine

2+2 Наклонная ламинационная машина

2+2 可倾斜式层压机

Main features:

The size of the 2+2 tilting laminator can reach 3.5 meters x 14 meters, and it adopts a bilateral inlet and outlet form. The main machine can tilt.

- 1. The fixed load formwork is made of steel plate with thickness of 60mm, the moving load formwork is made of steel plate with thickness of 80mm, which ensures that the polyurethane color steel plate with thickness of 250mm will not be deformed even when it is used for a long time, the work intensity is about 1.3 times of the rated work coefficient.
- 2. The temperature of the template is heated by heat-conducting oil, and the temperature of each template is controlled by the proportional valve. More accurate temperature control, energy saving..





Polyurethane High/Iow Pressure Foaming Machine

Щиты чистых камер Автоматизированная производственная линия

聚氨酯高/低压发泡机

CLASSIFICATION OF FOAMING MACHINES 发泡机种类

1 Six-Component Foaming Machine 六组份聚氨酯高压发泡机

Five Component
Foaming Machine
五组份聚氨酯高压发泡机

7 Two-Component Foaming Machine 两组份聚氨酯高压发泡机

























1 Six-Component Foaming Machine 六组份聚氨酯高压发泡机

Шестикомпонентная установка для вспенивания

The multi-component continuous foaming machine manufactured by our company has the characteristics of accurate measurement, adjustable density, fast speed, and self-cleaning function of the gun head. By adopting self-developed emulsification technology and adding gas mixing devices and emulsification units, the mixing uniformity and bubble uniformity of the material liquid have been greatly improved.

Advantages: Under the same conditions, the foam formed sandwich board has lower density, finer foam pores, lower thermal conductivity, and higher quality..





Five Component Foaming Machine

五组份聚氨酯高压发泡机

Пятикомпонентная установка для вспенивания

Product details:

Main features:

- 1. The emulsification pump unit (which allows nitrogen and polyether to be fully mixed, reducing the density of the board and improving the foaming quality) is self-made using Italian technology.
- 2. Air quality flow meter (precise control of the mixing ratio of raw materials and nitrogen)
- 3. Pol high-pressure heat exchanger (used for accurate control of raw material temperature after the pump)
- 4. Iso high-pressure heat exchanger (used for accurate control of raw material temperature after the pump)













Two-Component Foaming Machine

两组份聚氨酯高压发泡机

Двухкомпонентная установка для вспенивания

Key features:


- 1. High/low pressure foaming machine system: material flow system, metering system, gas system, heating system, cleaning system, mixing device.
- 2. High/low pressure foaming machine production equipment is more suitable for automatic production line.
- 3. High/low pressure foaming machine is a polyurethane foaming equipment developed by our company on the basis of absorbing and digesting the technology of German company.
- 4. It is mainly used in continuous polyurethane sandwich sheet foams.
- 5. The main parts of the imported equipment, the machine has high precision continuous injection, mixing uniform, stable performance, easy operation, high production efficiency and so on.








PU Sandwich Panels


Сэндвич панель из полиуретана












All Kinds of Roll Forming Machines



1 Three Waves Guard Rail Way Roll Forming Machine

трехволновый дорожный высокоскоростной пресс

三波公路高速护栏板压型机

Main features

- 1. The cold bending forming equipment for highway guardrail plates can make high-speed guardrail equipment by leveling and punching hot-rolled steel strips.
- 2. With the increasing demand for guardrail boards on highways, the application of guardrail board machines on highways has become increasingly widespread, and has now become a specialized forming equipment for highway guardrail boards.
- 3. The machine adopts cold bending forming technology, cold stamping technology, automatic stacking technology, and industrial automation control technology to achieve fully automated production.



3 Clean Room Sandwich Panel Automatic Production Line

пресс для обжима подшипников

楼承板压型机

The floor bearing plate press can continuously roll and produce according to user requirements, automatically fix the length, and stop and cut. This production equipment has the characteristics of low noise, stable transmission, convenient operation, and beautiful rolling products.

Main features:

- 1. This unit is composed of 4T manual feeding device, leveling device, transmission device, forming roller table and main engine (including guiding platform), cutting device after forming, hydraulic system, electric control system, finished product supporting device, etc.
- 2. Loading and uncoiling (put the steel coil into the inner support type opening frame and tighten it tightly), the two-roller clamp feeds the plate to calibrate and correctly import, level, roll forming, cut after forming, and the finished product is supported and discharged.



Double Layer Packing Box Roll Forming Machine Line

Машина для формирования холодных валков для двойных упаковочных коробок

双层打包箱框架冷弯成型机

Main features:

- 1.The roll forming machine is made of high-quality bearing steel GCr15, quenched at 58-62 degrees. After direct quenching, the surface is finished without other treatment. The control system adopts Siemens PLC control system, and the cutting method adopts.
- 2.Beam-type unit replacement method: The boss part is replaced by hoisting, and the bracket is installed after lifting.
- 3. Time for replacement and commissioning of beam-type units: 1-2 hours (after workers are normally trained and qualified for independent work).





4 Roof Panel/Wall Panel/Door Panel Roll Forming Machine

Домашние панели / стенные панели / дверные пресс

屋面板/墙面板/门板压型机/双层压型机/琉璃瓦机

Main feature:

- 1. The roof panel/wall panel/door panel forming machine adopts roller forming method, with beautiful appearance, and the strong panel is widely used in wall construction or outdoor decoration.
- 2. This machine has advanced innovative technology that can provide convenient roller replacement and can be equipped with PLC control and touch screen.
- 3. The machine is optionally equipped with common uncoiler, hydraulic uncoiler, automatic stacker and so on.





High Speed Slitting Line - Automatic Steel Sheet Slitting Machine

Продольная резка с быстрой скорости віж Э міл

Main feature

1. The machine adopts the material shelf with a style of cantilever and opening umbrella to put material with no dynamic force. It can adjust the end of the screw mandrel of the material shelf to fit in with steel of different apertures. Easy to operating and its speed of putting materials and the main moulding machine is in phase.


2. The machine adopts Seven Rolls level correction, roll arbors adopt high-quality alloyed steel 40Cr, made with a heat treatment, and it has a perfect effectiveness of level correction to defect band steel.



Main feature:

3. The roller of the principal machine adopts the bearing steel Cr15 to strike, distressing to annealing, quenching, tempering, and Parkerizing, such heat treatment process. The surface hardness reach HRC60 degree.

4. All the rollers are made by the numerical control lather, and this guarantees the accuracy of the roller's sizes and prolongs its working life.









Cut to Length Line

Оборудование для продольной и поперечной резки

纵横剪设备

Main feature

1. The slitting machine consists of uncoiler, slitting machine and winder. Cutting of steel plates of various coil widths and weights from 0.4 mm to 10mm. Each part of the equipment can be tailored to meet specific production needs. Non-ferrous metal, such as cold, hot-rolled carbon steel, stainless steel, aluminum, zinc Non-ferrous metal, and different types of special alloys, can be cut through this equipment.



Main feature:


2. With PLC control, the performance of the system is based on the characteristics of various metal plates, automatic high/low speed operation mode, thus achieving improved efficiency, greatly reducing maintenance costs.

3. For lower failure materials, the material uncoiler uses expansion/contraction hydraulic cylinders whose tension can be adjusted by the air pressure circulation system and is equipped with efficient braking devices.



EPS/EPP Production Line

EPS/EPP производственная линия











About ZhongJi ОЧжунцзи

关于中吉



Company Lobby-1F



R&D Center-2F



CNC Large Gantry Processing Center



Marketing Center-3F



VIP Dinner Room-4F



Customer Workshop



Staff Dinner Hall-5F



Assembly Workshop

International Market Международный рынок

国际市场





Argentine President Mrs. Cristina Fern á ndezl Meets with Sunny Wang, Sales Director of China and Kyrgyzstan



Iranian Consul General in Shanghai and clients purchase equipment at the factory



The President of the Republic of San Marino signs a procurement contract with Gunther Hou, CEO of China and Kyrgyzstan



Mehmet SEKMEN, Mayor of Erzulum City, Türkiye, visited Shanghai Zhongji Machinery and reached cooperation



Officers from UN discussed construction materials and equipment



Iranian customers visited and inspected Shanghai Zhongji Machinery and reached cooperation



Dr.Batilda S.Burian, the Minister of Environmentin Tanzandia, iscussed investment with Zhongji



Romanian President Meets with Sunny Wang, Sales Director of Shanghai Zhongji Machinery